

#### NATURAL RESOURCES RESEARCH PROGRAM



**MISCELLANEOUS PAPER R-91-3** 

## SUMMARY OF THE 1988 CAMPGROUND RECEIPT STUDY

by

Tere A. DeMoss

**Environmental Laboratory** 


DEPARTMENT OF THE ARMY
Waterways Experiment Station, Corps of Engineers
3909 Halls Ferry Road, Vicksburg, Mississippi 39180-6199





May 1991 Final Report

Approved For Public Release; Distribution Unlimited




US Army Corps of Engineers

**沙**基 点龙

Prepared for DEPARTMENT OF THE ARMY
US Army Corps of Engineers
Washington. DC 20314-1000

# DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

Destroy this report when no longer needed. Do not return it to the originator.

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

The contents of this report are not to be used for advertising, publication, or promotional purposes.

Citation of trade names does not constitute an official endorsement or approval of the use of such commercial products.

#### REPORT DOCUMENTATION PAGE


Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing Instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comment, regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Director-rise for Information Operations and Reports, 1215 Jefferson Dayls Highway, Suite 1204, Arlington, VA 12202-4302, and to the Office of Management and Budget, Paperwork Reduction Project (0704-0188), Washington, DC 120503.

Davis Highway, Suite 1204, Arlington, VA 22202-4302,	and to the Office of Management and			
1. AGENCY USE ONLY (Leave blank)	2. REPORT DATE May 1991	3. REPORT TYPE AND Final report	DATES COVERED	
4. TITLE AND SUBTITLE			5. FUNDING NUM	IBERS
Summary of the 1988 Campgro	ound Receipt Study			
6. AUTHOR(S)				
Tere A. DeMoss				
7. PERFORMING ORGANIZATION NAME(	S) AND ADDRESS(ES)		8. PERFORMING ( REPORT NUMB	
USAE Waterways Experiment 3909 Halls Ferry Road, Vicksb		aboratory	Miscellaneous	Paper R-91-3
9. SPONSORING/MONITORING AGENCY	NAME(S) AND ADDRESS(ES		10. SPONSORING	
US Army Corps of Engineers,	Washington, DC 20314	-1000	AGENCY REPO	RT NUMBER
11. SUPPLEMENTARY NOTES	······································			
Available from National Techn		, 5285 Port Royal Roa		
12a. DISTRIBUTION / AVAILABILITY STAT			12b. DISTRIBUTIO	N CODE
Approved for public release; d	istribution unlimited			
13. ABSTRACT (Maximum 200 words)				
The Campground Receipt characteristics at Corps of Eng collecting trend data.				
Since the creation of the C tion form, and study sites. The report is to describe the 1988 of	ese changes have been de	scribed in previous re	ports. The main	purpose of this
1981 to 1988.		4		6 . : . :
The CRS data represent th Corps campgrounds. The data and, with several years of data	base can be used by all le	evels within the Corps	to examine curr	ent use patterns
14. SUBJECT TERMS			15. NUN 43	ABER OF PAGES
F	ilities		16. PRIC	E CODE
<u> </u>	creation research			
17. SECURITY CLASSIFICATION 18. SOFT OF REPORT UNCLASSIFIED UNC	SECURITY CLASSIFICATION OF THIS PAGE CLASSIFIED	19. SECURITY CLASSIFIC OF ABSTRACT	CATION   20. LÌMI	TATION OF ABSTRACT

## **Contents**

Preface
1—Introduction
Purpose
Background
Study Procedures
Multi-Year Procedural Development
2—Data Analysis
1988 CRS Data
Trend Analysis
3—Conclusions And Recommendations
Conclusions
Recommendations
References
Appendix A: 1988 CRS Data Summaries for Individual Recreation Areas





iii

## **Figures**

Figure 1.	Campground Receipt Study project locations
Figure 2.	Mean number in party, 1981-88
Figure 3.	Mean length of stay (in days), 1981-88 10
Figure 4.	Percent of camping parties with prior visits to the project, 1981-88
Figure 5.	Percent of camping parties having the project as their primary destination, 1981-88
Figure 6.	Percent of camping parties using Golden Age or Golden Access passports, 1981-88
Figure 7.	Percent of camping parties with cars, 1981-88 14
Figure 8.	Percent of camping parties with trucks, 1981-88 15
Figure 9.	Percent of camping parties with vans, 1981-88 16
Figure 10.	Percent of camping parties with motor homes, 1981-88
Figure 11.	Percent of camping parties with tents, 1981-88 18
Figure 12.	Percent of camping parties with pop-up trailers, 1981-88
Figure 13.	Percent of camping parties with pickup campers, 1981-88
Figure 14.	Percent of camping parties with travel trailers,  1981-88
Figure 15.	Percent of camping parties with powerboats, 1981-88
Tables	
Table 1.	1988 Camping Permit Summary 6
Table 2.	1988 General Use Characteristics 6
Table 3.	1988 Distribution of Vehicle Types
Table 4.	1988 Distribution of Camping Equipment and Powerboats

## Preface

The work reported herein was conducted as part of the Natural Resources Research Program (NRRP). The NRRP is sponsored by the Headquarters, US Army Corps of Engineers (HQUSACE), and is assigned to the US Army Engineer Waterways Experiment Station (WES) under the purview of the Environmental Laboratory (EL). The NRRP is managed under the Environmental Resources Research and Assistance Programs (ERRAP), Mr. J. L. Decell, Manager. Dr. A. J. Anderson was Assistant Manager, ERRAP, for the NRRP. Technical Monitor(s) during this study were Ms. Judy Rice and Mr. Robert Daniel, HQUSACE. This report presents the results of the 1988 Campground Receipt Study. Camping trends are presented based on time series data collected from a nationally representative sample of Colos-managed campgrounds.

The report was prepared by Ms. Tere A. DeMoss, Resource Analysis Group (RAG), EL. Individuals who contributed technical expertise to this report were Mr. Kay Arunalasam and Ms. Tracy L. Christian, RAG. Review and comments were provided by Mr. R. Scott Jackson and Ms. Kathleen Perales, RAG.

The report was prepared under the general supervision of Mr. H. Roger Hamilton, Chief, RAG, EL; Dr. Conrad J. Kirby, Chief, Environmental Resources Division, EL; and Dr. John Harrison, Chief, EL. The report was edited by Ms. Janean Shirley of the Information Technology Laboratory, WES.

COL Larry B. Fulton, EN, was Commander and Director of WES during preparation of this report. Dr. Robert W. Whalin was the Technical Director.

This report should be cited as follows:

DeMoss, Tere A. 1991. Summary of the 1988 Campground Receipt Study. Miscellaneous Paper R-91-3. Vicksburg, MS: US Army Engineer Waterways Experiment Station.

## 1 Introduction

### **Purpose**

This is the eighth in a series of reports which summarize the results of the Campground Receipt Study (CRS). The CRS has undergone continual improvement in procedures and in the application of data analysis. Changes in procedures are generally found in the earlier reports (1980-82), while improvements in special data applications tend to be found in the later reports (1982-88). The main purpose of each report, however, is to describe the CRS data so that a database can be established to analyze trends in camping use each year. This summary uses the 1988 data and examines the trends from 1981 through 1988.

## **Background**

In 1978, the Recreation Research and Demonstration System (RRDS) was established under the Natural Resources Research Program of the US Army Corps of Engineers. The RRDS units serve as permanently designated outdoor laboratories at which information on recreation and resource aspects of lake management can be systematically gathered. In constructing a representative sample of sites, Title V economic development and physiographic regions were combined to produce 30 physioeconomic regions. Twenty-four units were selected from these regions, representing approximately 5 percent of the then 465 Corps projects. From these 24 units, the 16 projects with fee camping programs agreed to participate in the CRS (Figure 1). The 24 projects were chosen to represent a wide variety of multi-purpose reservoirs, locks and dams, and dry lakes. A US Army Engineer Waterways Experiment Station (WES) publication (Hart 1981) contains a detailed explanation of the RRDS units and their selection. Specific criteria for selection are provided below:

Title V, Public Works and Economic Development Act of 1964 (Public Law).




Figure 1. Campground Receipt Study project locations

- a. Full range of activities.
- b. Spectrum of resource characteristics.
- c. Nationwide distribution of units.
- d. Range of conditions at multi-purpose projects.
- e. Planning, design, and management tasks.

One of the main uses of the RRDS has been the CRS. Through the CRS, a database has been developed on one of the Corps' most popular activities: camping. Four factors guided the development of the CRS (Curtis and Hansen 1982):

- a. The procedures and instruments developed were to place a minimum burden on project personnel.
- b. The procedures were to have a minimum impact on the recreation visitor when registering at the campground.

- c. The monitoring procedures were intended to be cost-effective and efficient.
- d. The data collected were designed to be valid and reliable.

There are two important distinctions concerning the CRS database that require attention. First, the information gathered, as a subset of the CRS, only includes fee campers; therefore, these campers do not describe the "Corps visitor" per se. Second, the analyses are done to illustrate potential uses rather than to provide a definitive portrayal of all possible applications. Users are encouraged to further utilize the database as the management tool for which it was intended.

### **Study Procedures**

Data collection for this study was done by rangers and campground gate attendants as campers registered. Most of the data were collected through observation, so there was minimum impact on the visitor. Data were recorded on Engineer Form 4457-1. A thorough discussion of the development of this form is provided in the 1983 Campground Receipt Study report by Akers-Fritschen (1985).

After the CRS data were collected and sent to the corresponding District Offices for keypunching, they were forwarded to WES for analysis. For the analysis, a FORTRAN program, the Recreation Analysis Program (RAP), was developed. This program generates two reports. The "Area Report" provided a summary of the CRS data for each recreation area, while the "Site-Specific Data Report" provided most of the same information for each campsite. District offices that participate in the CRS were provided with a copy of the RAP for their own analysis purposes.

For the 1986-88 analysis, data from the RAP output were transferred into the Statistical Analysis System (SAS). SAS is an advanced data manager and statistical software package. The creation of SAS data sets for the CRS provides greater o<sub>i</sub> ions for examining the data with specific research questions.

### **Multi-Year Procedural Development**

Data gathered at the demonstration units have undergone three distinct phases of development. Initially, the study focused attention on the campground receipt in terms of defining how and what types of data were to be collected. Forms went through improvements and were finalized during the early part of the study. Comparison of key variables across projects has provided an assessment of campground market behavior in the Corps.

A second stage of development has been the documentation of general results over time, such as reporting on the changes in types of camping equipment. Important trends are highlighted in the report series (e.g., an increase in camping parties with tents and camping parties with power-boats during the years 1981 through 1984) (Lawrence and Fritschen 1986).

The third stage of CRS development has included the use of data for analyses beyond routine summaries and toward specialized management applications. This report is an extension of previous efforts since it reports on salient trends while illustrating management applications. This is aimed at improving the efficiency of project operations, which will provide for a general understanding of the Corps customer who stays overnight at a Corps campground.

## 2 Data Analysis

#### 1988 CRS Data

The data summarized in this report were collected from the eight projects that participated in the CRS during 1988. The CRS data were analyzed as independent recreation areas and projects, and then for the entire sample of projects. In this section, both the individual project and entire sample data will be described. The recreation area data can be found in Appendix A.

#### **Data limitations**

In 1986 and 1987, the supply of Engineering Form 4457-1 was inadequate to meet the needs of all CRS projects. In 1986, from 15 projects, the number of camping permits decreased from 146,087 (1985) to 79,390. In 1987, the number of projects participating decreased to nine projects. Since the lack of forms was not a problem in 1985, Table 1 shows the 1985 data instead of the 1986-87 permit summary. Readers are advised to compare the number of permits issued in 1988 to the number issued in 1985 to judge how completely the data in this table represent camping use during that time period.

#### 1988 data

Campers at the CRS recreation areas accounted for 763,606 recreation days of use in 1988 (Table 2). The average length of stay ranged from 2.0 to 3.4 nights. The average for the entire CRS in 1988 was 2.7 nights.

The size of the camping parties in 1988 averaged 3.4 persons, ranging from 2.4 at Mississippi Pool 16 to 3.8 at Milford and Shenango River Lakes. Nationwide, 78.4 percent of the parties had previously visited the

Data Analysis

A recreation day is defined as a visit by one individual to the project for recreation purposes during all or any reasonable portion of a 24-hr period.

Table 1 1988 Cambing Permit Summary<sup>1</sup>

Project	Number of Permits, 1985	Number of Permits, 1988	Number of Groups, 1988
Greers Ferry Lake	20,210	55.855	42,515
Milford Lake	4,408	4,088	3,663
Mississippi Pool 16	1,873	2,581	1,805
Nolin River Lake	5.256	4,220	3,873
Lake Caha	8.636	11,883	8,099
Lake Ouachita	8,621	7,555	5,311
Lake Shelbyville	18.405	10,254	7,859
Shenango River Lake	7,618	7,270	4,620
West Point Lake	8.376	10,336	8,661
CRS total	83,353	i14,042	86,406

In 1986 and 1987, the supply of Engineering Form 4457-1 was inadequate to meet the needs of all CRS projects. This was not a problem in 1985. By comparing the number of permits issued for each project to the 1985 record, changes in 1988 data (increases or decreases) can be noted.

Table 2 1988 General Use Characteristics

Project	Recreation Days	Mean Length of Stay Nights	Mean Number In Group	Percent Prior Visits <sup>2</sup>	Percent Primary Destina- tion <sup>2</sup>	Percent Golden Age Passport <sup>3</sup>
Greers Ferry Lake	344 035	2.5	3.3	83.2	95.0	16.7
Milford Lake	28.998	. 2.1	3.8	40.7	53.7	20.4
Mississippi Pool 16	12,499	3 1	2.3	58.9	86.3	47.6
Nolin River Lake	27 996	2.0	3.5	81.0	96.9	7.3
Lake Oahe	62,897	2.7	3.0	67.7	80.9	25.3
Lake Ouachita	62.219	3.2	3 6	70 4	90.1	19.0
Lake Shelbyviile	80,734	2.0	3.4	81.4	97.6	14.9
Shenango River Lake	59.731	3.4	3.8	83.7	95.3	17.2
West Point Lake	84.497	2.9	3.4	82.4	94.7	21.1
CRS total/average	763.606	2.7	3.4	78.4	91.8	18.3

Recreation days of use was calculated by multiplying the number in the group times the length of stay for each fee receipt. The individual recreation days were then added to produce a project total. Any receipts which had the number in group or length of stay missing were deleted from the calculations. Therefore, this measure of use may be conservative.

<sup>2</sup> Percent of camping parties.

Percent of camping permits.

project. This variable tends to show a broad range in variation between projects as evidenced by the value of 83.7 percent at Shenango River Lake, to 40.7 percent at Lake Milford. More than three-fourths, or 91.8 percent, of the camping parties at CRS projects indicated that the project was the primary destination for their trip. However at Lake Shelbyville, 97.6 percent of the camping parties reported the project as the primary destination for their trip. At the individual projects, the lowest percentage of Golden Age passports was found at Nolin River Lake (7.3 percent) the highest at Mississippi Pool 16 (47.6 percent).

For the cumulative 1988 data, an analysis of the type of vehicle, or vehicles, used by camping parties in Table 3 indicates that more parties used trucks (50.9 percent) than cars (32.5 percent). The highest percentage of truck use was at Greers Ferry Lake (55.4 percent), while the lowest percentage of truck use was at Mississippi Pool 16 (33.5 percent). Relatively few of the camping groups arrived in vans (12.0 percent), motor homes (15.9 percent), or via other modes of transportation (0.73 percent). The exceptions were Mississippi Pool 16 and Lake Oahe, where 39.2 percent and 28.8 percent of the camping parties, respectively, reported using motor homes.

Table 3		
1988 Distribution of Veh	cle Types (Percent o	f Camping Groups)1

Project	Car	Truck	Van	Motor Home	Others <sup>2</sup>
Greers Ferry Lake	29.4	55.4	10.3	10.8	0.73
Milford Lake	34.5	53.2	13.9	17.8	0.22
Mississippi Pool 16	33.2	33.5	11.4	39.2	0.00
Nolin River Lake	37.1	39.1	13.9	11.6	0.36
Lake Oahe	16.4	45.0	10.6	28.8	0.19
Lake Ouachita	35.8	53.5	13.3	13.8	3.30
Lake Shelbyville	39.5	42.6	16.8	17.4	0.29
Shenango River Lake	49.7	38.8	13.5	16.2	0.80
West Point Lake	33.1	50.9	13.2	24.7	0.50
CRS average	32.5	50.9	12.0	15.9	0.73

<sup>&</sup>lt;sup>1</sup> These categories are not mutually exclusive. Camping groups could bring with them multiple types of camping equipment, which may account for nationwide totals that exceed 100%.

During 1988, as shown in Table 4, the most popular type of camping equipment at the CRS projects was a tent (41.5 percent nationwide). At Nolin River Lake, about one-half (48.3 percent) of the camping parties used at least one tent. It must be noted that the equipment categories are not mutually exclusive; therefore, tents may not necessarily be the principal means of camping for those groups that reported using them. Overall, the nationwide averages of other types of camping equipment included travel trailers (23.3 percent), pickup campers (6.3 percent), and pop-up

The "Others" category includes any mode of transportation that is not listed. This may include such things as motorcycles, bicycles, etc.

trailers (8.4 percent). In terms of other recreation equipment, about one-third (29.2 percent) of all camping parties brought a powerboat to CRS projects.

Table 4
1988 Distribution of Camping Equipment and Powerboats
(Percent of Camping Groups)<sup>1</sup>

		<u> </u>				
Project	Tent	Pop-up Trailer	Pickup Camper	Travel Trailer	Motor Homes	Powerboat
Greers Ferry Lake	47.5	9.0	4.4	24.0	10.8	17.0
Milford Lake	32.1	6.4	7.7	29.3	17.8	33.0
Mississippi Pool 16	6.9	5.4	4.3	39.9	39.2	7.4
Nolin River Lake	48.3	5.2	10.0	6.2	11.6	45.3
Lake Oahe	19.3	4.8	17.5	23.3	28.8	52.2
Lake Ouachita	49.1	9.5	4.4	24.9	13.8	42.5
Lake Shelbyville	41.9	11.6	5.4	20.9	17.4	36.6
Shenango River Lake	34.5	10.9	6.1	22.9	16.2	29.3
West Point Lake	29.9	7.0	5.5	22.4	24.7	46.7
CRS average	41.5	8.4	6.3	23.3	15.9	29.2

These categories are not mutually exclusive. Camping groups could bring multiple types of camping equipment, which accounts for nationwide totals that exceed 100%.

## **Trend Analysis**

One of the primary purposes of the CRS was to create a database that would enable the prediction of trends in recreational use. Each year of data collection improves the predictability of a trend analysis. A comparison of the CRS databases for the years 1981 through 1988 is presented in Figures 2-15. Where no bars appear on the bar charts, data were not available or were missing. For example, Mississippi Pool 16 did not participate in the CRS until 1984; therefore, the figures reflect this lack of information for the years 1981-83 in all charts. Because of the lack of adequate forms in the 1986-87 data, only eight of the projects have historical data for the trend analysis. Even though Lake Barkley and Hartwell Lake did not participate in 1988, they were included for historical information.

Across these projects, mean group size has not changed dramatically since 1981 (Figure 2). For Milford Lake, the averages continued to decrease from 3.8 in 1981 to 3.2 in 1986 but returned to 3.8 in 1988. Mississippi Pool 16 reported some of the smallest party sizes, with a mean of approximately 2.6 for 5 years. (Mississippi Pool 16 was not part of the CRS system prior to 1984.) Mean length of stay (Figure 3) exhibits greater variation than mean group size. The averages ranged from a low of 1.6 nights for 1981 at Milford Lake to a high of 3.7 during 1982 at Shenango Lake.




Figure 2. Mean number in party, 1981-88




Figure 3. Mean length of stay (in days), 1981-88




Figure 4. Percent of camping parties with prior visits to the project, 1981-88




Figure 5. Percent of camping parties having the project as their primary destination, 1981-88





Figure 6. Percent of camping parties using Golden Age or Golden Access passports, 1981-88



igure 7. Percent of camping parties with cars, 1981-88




Figure 8. Percent of camping parties with trucks, 1981-88




Figure 9. Percent of camping parties with vans, 1981-88




Figure 10. Percent of camping parties with motor homes, 1981-88




Figure 11. Percent of camping parties with tents, 1981-88




Figure 12. Percent of camping parties with pop-up trailers, 1981-88




Figure 13. Percent of camping parties with pickup campers, 1981-88




Figure 14. Percent of camping parties with travel trailers, 1981-88




Figure 15. Percent of camping parties with powerboats, 1981-88

From 1981 to 1988, there was a general decrease in the percentage of campers with prior visits to the project and with the project as their primary destination (Figures 4 and 5) for Milford Lake. For other projects, a clear increase or decrease is not discernible.

Golden Age passport use tended to be highly variable between projects, yet fairly stable within projects with a few exceptions (Figure 6). Percentages ranged from 49.3 percent for Shenango Lake in 1985 to 4.0 percent for Nolin Lake in 1983 and 1985. Nolin Lake tended to exhibit a small percentage of Golden Age passport camping parties, whereas Mississippi Pool 16 and Shenango Lake (1985) displayed relatively higher percentages.

Parties with cars provided consistent patterns over the 8-year period (Figure 7). Across projects, increases versus decreases were not clearly evident. Lake Ouachita data supported the most stable figures with a range from 39.2 to 50.0 percent. Parties with trucks (Figure 8) exhibited a similar pattern of overall stability. The use of trucks tended to slightly "outpace" cars for nearly every bar chart (except for Nolin Lake and Shenango Lake) when Figures 7 and 8 are compared.

Figure 9 shows a slight increase in the use of vans by camping parties except at Mississippi Pool 16 and Nolin Lake. Mississippi Pool 16 showed a decrease from 13.6 to 11.3. Nolin Lake decreased only 0.6 percent; however, there has been a continual decrease since 1984 (18.4 to 14.2 percent).

Motor home use exhibited considerable variability across projects as can be seen in Figure 10. The highest use occurred at Mississippi Pool 16, where, in 1988, 39.2 percent of the camping parties used a motor home. Overall, the use of motor homes as camping vehicles was small as compared to other types of camping equipment.

In Figure 11, parties with tents, a stable pattern within projects was clearly evident. However, the pattern among projects displayed considerable variability. For example, at Mississippi Pool 16, about 7.1 percent of the camping parties used tents, whereas this percentage was 60.9 percent for parties at Lake Ouachit.

The use of pop-up trailers tended to be fairly stable across and within projects (Figure 12). Few patterns are discernible with respect to this type of camping equipment. This was in contrast to camping parties with pickup campers (Figure 13). The use of this type of camping equipment was very low for projects such as Mississippi Pool 16, while pickup

The low percentages for 1986-87 for Lake Barkley, Nolin Lake, and Lake Ouachita are due to inadequate forms.

campers are more popular at Nolin Lake, with a high of 10.0 percent of the camping parties using them.

In contrast to the previous figure, Mississippi Pool 16 shows the overall highest use of travel trailers (percentages in the high 40's) while Nolin Lake had the lowest, with percentages ranging from 4 to 9 (Figure 14). Most projects report the use of this equipment to be at about 25 percent.

The use of powerboats tended to be relatively uniform across projects (Figure 15). Powerboat use by camping parties was the highest usage at Nolin Lake, Lake Ouachita, and West Point Lake.

The low percentages for 1986-87 for Lake Barkley, Nolin Lake, and Lake Ouachita are due to inadequate forms.

## 3 Conclusions and Recommendations

#### **Conclusions**

The recent availability of computer technology at the field level has dramatically changed the possibilities regarding data entry and retrieval for analysis and reporting of campground information. The development of the Automated Use Permit System (AUPS) (Fritschen 1988) is an advancement in the direction of computer-aided management information systems. AUPS allows campground attendants to use microcomputers in registering campers and collecting and tracking camping fees. It was designed to incorporate the data requirements of the CRS so that any Corps project utilizing AUPS can collect CRS data. CRS-related questions are displayed by AUPS while campers register according to whether a program "switch" is set. This capability eliminates the need for keypunching and error checking and provides some on-site data analysis capability.

Currently, field-level personnel can use dBASE software to generate reports on variables such as site occupancy, average length of stay, ZIP Codes, average group size, and number of Golden Age and Access permit holders. AUPS provides data that managers can review to resolve problems in a timely manne or to improve the efficiency of operating and maintaining campgrounds. These data are also useful to landscape architects and planners when evaluating future recreation area designs as well as rehab work. For example, District planners can compare key variables like site occupancy across projects and recreation areas, since the data are gathered using the same methods.

Unfortunately, the lack of an adequate supply of forms in the 1986-87 data hampered the interpretation of trends for all 16 projects in the "Summary of the 1986-87 Campground Receipt Study" (DeMoss and Titre, in preparation). Eight projects participated in the collection of the 1988 campground receipts. Of these eight projects, only six projects had adequate data in 1986-87 to allow trend analysis. (Lake Barkley and Hartwell Lake had adequate data in 1986-87, but did not participate in 1988.) In the

future, the 1986-87 data limitations (decrease in number of permits and projects) will be weighted to allow all of the projects to have trend analysis for all participating projects.

The illustrations in this report are merely examples for managers to ponder additional uses. The transition from paper forms to the AUPS will enhance the management applications of the data.

#### Recommendations

The data in the CRS and the AUPS have reached the point where project managers and District personnel can make decisions rapidly in response to on-the-ground changes in the use of Corps areas. This AUPS/CRS combined system has been shown to improve overall efficiency and can address current problems by giving resource managers better control over a constantly changing environment. It is recommended that the CRS effort continue and that researchers and managers search for common ground in devising strategies to better serve the Corps visitor based on current information.

## References

Akers-Fritschen, Janet. 1985. Summary of the 1983 Campground Receipt Study. Miscellaneous Paper R-85-2. Vicksburg, MS: US Army Engineer Waterways Experiment Station.

Curtis, G. L., and Hansen, W. J. 1982. Summary of the 1981 Campground Receipt Study. Miscellaneous Paper R-82-3. Vicksburg, MS: US Army Engineer Waterways Experiment Station.

DeMoss, Tere A., and Titre, John P., Jr. Summary of the 1986-87 Campground Receipt Study. Vicksburg, MS: US Army Engineer Waterways Experiment Station. In Preparation.

Fritschen, Janet Akers. 1988. The Automated Use Permit System. Recnotes. Vol R-88-3. Vicksburg, MS: US Army Engineer Waterways Experiment Station.

Hart, William J. 1981. Recreation Research and Demonstration System: Its Selection, Operation and Potential Utility. Technical Report R-81-1, Vicksburg, MS: US Army Engineer Waterways Experiment Station.

Lawrence, Larry R., and Fritschen, Janet Akers. 1986. Summary of the 1984 Campground Receipt Study," Miscellaneous Paper R-86-1, Vicksburg, MS: US Army Engineer Waterways Experiment Station.

## Appendix A: 1988 CRS Data Summaries for Individual Recreation Areas

Appendix A

1988 Greers Ferry Lake (Dam Site) U	Ferry La	ke (Dan		ser Characterístics	aracteri	20112								
Characteristic	Dam Site Park	Old Hwy 25	Heber Springs	Chero- kee Park	Cove	Shiloh	Nar- rows	HIII Creek Park	Devils Fork	Sugar Loaf	Van Buren	Choc-	J. F. Ken- nedy	Project Totels
Recreation days	53,091	31,330	40,666	5,346	15,570	24,688	23,487	4,760	30,392	21,500	7,952	35,994	49,259	344,035
Mean length of stay, nights	2.1	2.2	2.3	2.2	2.0	2.5	3.0	1.9	2.7	2.5	2.6	2.5	3.5	2.5
Mean number in group	3.4	3.9	3.5	3.4	3.5	3.4	2.9	3.2	3.2	3.3	3.5	3.4	2.7	3.3
Percent prior visits <sup>2</sup>	95.0	96.5	83.5	80.5	85.1	86.7	63.3	81.0	82.5	84.2	6:09	62.4	87.4	83.2
Percent prigary destination	0.86	9.86	94.3	99.7	98.0	89.3	90.2	90.1	8.78	6.76	94.1	78.8	97.4	0.38
Percent Golden Age Passports	10.1	7.5	7.3	4.0	5.5	10.3	37.7	5.6	12.4	12.7	11.8	24.1	40.0	16.7
Percent Golden Access Passports <sup>3</sup>	1.5	2.1	1.6	8.0	2.3	3.5	1.1	0.8	5.0	1.2	2.0	2.9	5.5	2.6
Number of camping permits	9,435	4,623	6,468	828	2,668	3,957	3,867	910	4,640	3,256	1,174	5,686	8,313	<b>5</b> 58'55
Number of camping groups	7,358	3,863	5,008	902	2,246	3,021	2,749	746	3,374	2,604	916	4,250	5,674	42,515

1 Recreation area averages were weighted by the total number of permits for each area to camps te project average.
2 Percent of camping parties.
3 Percent of camping permits.

Table A2 1988 Greers Ferry Vehicle and Equipment Type (Dam Site)	Ferry	Vehici	le and E	quipment	Type (	Dam Si	te)							
Vehicle and Equipment Type	Dam Site Park	Old Hwy 25	Heber Springs	Cherokee Park	Cove	Shiloh	Narrows	Devils Fork	Hill Creek Park	Sugar Loaf	Van Buren	Choctaw	J. F. Kennedy	Project Totals
							Vehicle							
Car	37.8	32.2	32.5	39.9	30.8	25.4	23.6	28.9	22.3	28.6	38.0	26.0	19.9	29.4
Truck	48.2	57.1	57.5	54.7	58.8	55.9	49.2	59.7	66.2	56.0	40.8	58.9	58.9	55.4
Van	9.1	8.0	10.0	10.0	8.5	12.7	17.4	9.8	7.0	12.8	16.8	9.1	9.4	10.3
Motor home	7.6	5.9	6.3	2.0	7.1	8.9	16.1	10.9	5.4	10.4	13.5	16.7	19.0	10.8
						Campi	Camping Equipment <sup>2</sup>	ent <sup>2</sup>						
Tent	58.3	53.6	61.2	73.1	62.9	54.3	27.8	43.1	9.09	45.9	58.7	34.5	23.7	47.5
Pop-up trailer	8.1	10.3	6.6	5.9	7.9	10.3	9.0	8.2	11.3	8.8	6.8	7.3	10.9	9.0
Pickup camper	3.1	3.3	2.5	11.9	5.1	6.7	4.1	5.8	11.3	4.2	5.5	5.6	3.6	4.4
Travel trailer	17.3	23.7	17.9	8.2	13.0	21.4	31.6	26.0	7.2	26.7	11.4	32.1	38.2	24.0
i						Recreat	Recreational Equipment	ment						
Powerboat	2.8	12.1	17.0	22.1	44.6	16.2	30.4	41.6	33.5	27.2	8.5	16.0	6.0	16.9
1 Recreation area averages were weighted by the total number of permits for each area to compute project averages.	ea avera	ges were v	weighted by	the total numl	ber of peri	mits for ea	ch area to c	ompute pr	oject aver	ages.				

2 Motor homes are included in the calculation of camping equipment percentages. Camping equipment percentages can sum to more than 100 percent because parties can use multiple pieces of equipment.

Table A3
1988 Milford Lake User Characteristics

Characteristic	Curtis Creek	Farnum Creek	Rolling Hills	School Creek	Timber Creek	Project Totals <sup>1</sup>
Recreation days	6,110	5,565	10,992	3,951	2,380	28,998
Mean length of stay, nights	2.1	2.4	2.2	1.8	1.7	2.1
Mean number in group	3.6	5.8	3.3	3.3	3.9	3.8
Percent prior visits <sup>2</sup>	79.9	58.7	12.5	35.4	60.3	40.7
Percent primary destination <sup>2</sup>	90.3	73.5	23.2	54.1	81.5	53.7
Percent Golden Age Passports <sup>3</sup>	17.5	29.4	24.2	13.8	3.4	20.4
Percent Golden Access Passports <sup>3</sup>	0.5	0.0	1.3	0.4	0.7	0.8
Number of camping permits	943	612	1,683	474	376	4,088
Number of camping groups	834	494	1,588	455	292	3,663

<sup>&</sup>lt;sup>1</sup> Recreation area averages were weighted by the total number of permits for each area to compute project average.

Table A4
1988 Milford Lake Vehicle and Equipment Type (Percent of Camping Parties)

Vehicle and Equipment Type	Curtis Creek	Farnum Creek	Rolling Hills	School Creek	Timber Creek	Project Totals <sup>1</sup>
		٧	ehicle			
Car	36.9	33.6	35.8	20.4	43.8	34.5
Truck	64.9	49.6	45.5	66.6	46.6	53.2
Van	14.3	11.5	15.1	13.8	10.6	13.9
Motor home	13.8	20.9	21 6	14 9	7.9	17.8
Other	0.0	0.6	0.1	0.4	0.3	0.2
		Camping	Equipment <sup>2</sup>			-
Tent	31.1	27.5	30.6	35.4	45.2	10.3
Pop-up trailer	7.6	4.5	6.4	4.2	10.3	6.4
Pickup camper	8.3	9.5	5.4	13.2	6.8	7.7
Travel trailer	33.6	27.9	29.0	27.5	23.3	29.3
		Recreatio	nal Equipmer	nt		
Powerboat	45.9	34.2	27.3	3ŷ.3	15.1	33.0

Recreation area averages were weighted by the total number of permits for each area to compute project averages.

Percent of camping parties.
Percent of camping permits.

<sup>2</sup> Motor homes are included in the calculation of camping equipment percentages. Camping equipment percentages can sum to more than 100 percent because parties can use multiple pieces of equipment.

Table A5		
1988 Mississippi	Pool 16 User	Characteristics

Characteristic	Clark's Creek	Shady Creek	Project Totals <sup>1</sup>
Recreation days	6,942	5,657	12,499
Mean length of stay, nights	3.4	2.7	3.1
Mean number in group	2.2	2.5	2.3
Percent prior visits <sup>2</sup>	69.7	47.1	58.9
Percent primary destination <sup>2</sup>	84.5	88.3	86.3
Percent Golden Age Passports <sup>3</sup>	61.2	32.8	47.6
Percent Golden Access Passports <sup>3</sup>	1.7	5.9	3.7
Number of camping permits	1,392	1,189	2,581
Number of camping groups	941	864	1,805

Recreation area averages were weighted by the total number of permits for each area to compute project average.

Table A6 1988 Mississippi Pool 16 Vehicle and Equipment Type (Percent of Camping Parties)

Vehicle and Equipment Type	Clark's Creek	Shady Creek	Project Totals <sup>1</sup>
	Veh	icie	
Car	32 9	33.4	33.2
Truck	30.6	36.6	33.5
Van	10.5	12.3	11.4
Motor home	42.6	35.5	39.2
Other	0.0	0.0	0.0
	Camping E	quipment <sup>2</sup>	
Tent	4.0	10.1	6.9
Pop-up trailer	4.5	6.4	5.4
Pickup camper	4.0	4.6	4.3
Travel trailer	40.4	39.4	39.9
	Recreations	l Equipment	
Powerboat	4.3	10.8	7.4

Recreation area averages were weighted by the total number of permits for each area to compute project averages.

Percent of camping parties.
Percent of camping permits.

<sup>2</sup> Motor homes are included in the calculation of camping equipment percentages.

Camping equipment percentages can sum to more than 100 percent because parties can use multiple pieces of equipment.

Table A7 1988 Nolin River Lake User Characteristics

Characteristic	Dog Creek	Wax	Moutardier	Project Totals <sup>1</sup>
Recreation days	1,643	9,459	16,894	27,996
Mean length of stay, nights	1.7	2.0	2.1	2.0
Mean number in group	3.4	3.6	3.4	3.5
Percent prior visits <sup>2</sup>	56.0	72.1	89.1	96.9
Percent primary destination <sup>2</sup>	99.3	95.3	97.6	96.9
Percent Golden Age Passports <sup>3</sup>	9.8	9.6	5.7	7.3
Percent Golden Access Passports <sup>3</sup>	3.3	0.0	1.1	0.9
Number of camping permits	315	1,458	2,447	4,220
Number of camping groups	275	1,307	2,291	3,873

<sup>1</sup> Recreation area averages were weighted by the total number of permits for each area to compute project average.

Table A8
1988 Nolin River Lake Vehicle and Equipment Type
(Percent of Camping Parties)

Vehicle and Equipment Type	Dog Creek	Wax	Moutardier	Project Totals <sup>1</sup>
		Vehicle		
Car	34.9	44.4	37 9	39.9
Truck	42.9	49.7	36.1	41.2
Van	7.6	13.8	15.2	14.2
Motor home	17.1	10.3	11.7	11.6
Other	0.0	1.1	0.0	0.4
	Campir	ng Equipmen	nt <sup>2</sup>	
Tent	29.5	65.9	48.9	53.3
Pop-up trailer	2.5	5.3	5.5	5.2
Pickup camper	14.5	8.4	10.4	10.0
Travel trailer	3.3	4.8	7.3	6.2
	Recreati	onal Equipm	ient	
Powerboat	41.5	48.6	44.8	45.8

Recreation area averages were weighted by the total number of permits for each area to compute project averages.

Percent of camping parties.
Percent of camping permits.

Motor homes are included in the calculation of camping equipment percentages.
Camping equipment percentages can sum to more than 100 percent because parties can use multiple pieces of equipment.

Table A9
1988 Lake Oahe User Characteristics

Characteristic	Beaver Creek	Down- stream South	indian Creek	Down- stream North	indian Memorial	Project Totals <sup>1</sup>
Recreation days	5,244	4 661	16,812	22,70 <b>2</b>	13,478	62,897
Mean length of stay nights	2 0	1 9	5.9	2.8	2.9	2.7
Mean number in group	3.4	3.0	3 1	2 9	2.9	3.0
Percent prior visits <sup>2</sup>	828	210	5ő 4	62 1	96.4	67.7
Percent primary destination <sup>2</sup>	95.8	35 6	810	80 5	97.3	80.9
Percent Golden Aga Passports <sup>3</sup>	£ 4	25.1	27.4	26 6	28 2	25.3
Percent Golden Access Passports	04	6.0	1 6	2.1	1.3	1.5
Number of camping permits	9/17	1,031	2 751	4 911	2,383	11,883
Number of camping groups	760	306	1 890	3,050	1,593	8,099

<sup>1</sup> Recreation area averages were weighted to the total number of permits for each area to compute project average.

Table A10 1988 Lake Oahe Vehicle and Equipment Type (Percent of Camping Parties)

Vehicle and Equipment Type	Besver Creek	Down- stream South	Indian Creek	Down- stream North	Indian Memorial	Project Totals <sup>1</sup>
		V	ehicle			
Car	15.7		· 143	15 4	21.7	170
Truck	46.1	328	56.1	40.4	49.8	45.7
Van	ñ f	17.2	1-1	g;	13.2	10.7
Motor home	2 . 3	^2 <b>9</b>	31.8	29 4	30.5	28.8
Other	2.3	500	03	0.2	0 1	0.2
		Cadioba	្ត ដីកូមខ្មែ <mark>ករមកវេ</mark>	•		
Tent	1217	30.9	100	18.5	20 0	20.0
Pop up trailer	5.8		4.8	5.1	2.4	4.8
Pickup camper	176	15	190	16.2	19.6	17 5
Trav: I trailer	245	17.6	. 20 a	21.8	24.2	23.3
		Recreation	nal Equipme	nt		
Powerboat	52 ú	25.0	A3.7	50.6	57.1	52 5

Recreation area averages were weighted by the total number of permits for each area to compute project averages.

Percent of camping parties

<sup>3</sup> Percent of camping parants

Motor homes are included in the calculation of camping organizent percentages. Camping equipment percentage, can sum to more than 100 percent because narries can use multiple pieces of equipment.

Table A11
1988 Lake Ouachita User Characteristics

Characteristic	Denby Point	Crystal Springs	Brady Mountain	Project Totals
Recreation days	21,924	9,042	31,253	62,219
Mean length of stay, nights	3.7	2.4	3.2	3.2
Mean number in group	3.3	3.9	3.7	3.6
Percent prior visits <sup>2</sup>	70.0	69.2	71.0	70.4
Percent primary destination <sup>2</sup>	84.9	93.7	92.5	90.1
Percent Golden Age Passports <sup>3</sup>	33.3	4.2	14.1	19.0
Percent Golden Access Passports <sup>3</sup>	1.0	0.0	0.1	0.4
Number of camping permits	2,741	1,160	3,654	7,555
Number of camping groups	1,849	937	2,525	5,311

Recreation area averages were weighted by the total number of permits for each area to compute project average.

<sup>3</sup> Perce it of camping permits.

Table A12
1988 Lake Ouachita Vehicle and Equipment Type (Percent of Camping Parties)

Vehicle and Equipment Type	Denby Point	Crystal Springs	Brady Mountain	Project Totals <sup>1</sup>
		Vehicle		<u> </u>
Car	26 8	47.0	38.3	35.8
Truck	56.0	53.5	51.6	53.5
Van	13.7	13.1	13.1	13.8
Motor home	20.2	4.1	12.7	13.8
Other	1.0	1.6	5.7	3.3
	Cam	ping Equipment <sup>2</sup>	2	
Tent	28.0	79.3	53.5	49.1
Pop-up trailer	9.8	5.9	10.6	9.5
Pickup camper	5.1	3.6	4.1	4.4
Travel trailer	37.8	6.4	22.3	24.9
	Recre	ational Equipme	nt	
Powerboat	41.4	40.3	44.1	42.5

Recreation area averages were weighted by the total number of permits for each area to compute project averages.

Motor homes are included in the calculation of camping equipment percentages.

Camping equipment percentages can sum to more than 100 percent because parties can use multiple piaces of equipment.

Percent of camping parties.

Table A13 1988 Lake Shelbyville User Characteristics

Characteristic	Opossum Creek <sup>1</sup>	Coon Creek	Lone Point	Lithia Springs	Forrest W. Wood	Whitley Creek	Project Totals <sup>2</sup>
Recreation days	35	30,588	7,576	22,252	14,640	5,643	80,734
Mean length of stay, nights	1.0	3.0	2.8	3.0	3.5	2.4	3.0
Mean number in group	21.6	3.6	4.3	3.0	3.1	3.7	3.4
Percent prior visits <sup>3</sup>	20.0	84.1	66.1	74.9	95.0	81.3	81.4
Percent primary destination <sup>3</sup>	20.0	98.9	91.8	97.1	98.6	98.3	97.6
Percent Golden Age Passports <sup>4</sup>	0.0	11.1	9.0	13.5	32.9	3.3	14.9
Percent Golden Access Passports <sup>4</sup>	0.0	1.4	0.5	2.1	2.4	0.8	1.7
Number of camping permits	6	3,565	810	3,189	1,949	735	10,254
Number of camping groups	5	2,760	648	2,461	1,386	599	7,859

This is a special group camping area.

Percent of camping parties. Percent of camping permits.

Table A14	
1988 Lake Shelbyville Vehicle and	Equipment Type
(Percent of Camping Parties)	

Vehicle and Equipment Type	Opossum Creek <sup>1</sup>	Coon Creek	Lone Point	Lithia Springs	Forrest W. Wood	Whitiey Creek	Project Totals <sup>2</sup>
			Vehicle				
Car	0.0	45.5	42.6	10.5	37.5	56.9	43.1
Truck	C.O	45.6	45.4	39.3	51.4	44.6	44.5
Van	20.0	19.5	16.4	16.7	13.3	18.2	17.2
Motor home	0.0	15.7	14.7	19.2	24.5	5.0	17.4_
Other	0.0	0.1	1.5	0.3	0.1	0.0	0.3
		Cam	ping Equip	ment <sup>3</sup>			
Tent	20.0	55.0	64 5	44.7	20.1	90.0	49.0
Pop-up trailer	0.0	13 1	11.4	12.8	8.5	7.3	11.6
Pickup camper	0.0	5.4	4.9	5.9	5.3	4.0	5.4
Travel trailer	0.0	19.8	14.8	15.8	41.2	6.2	20.9
		Recre	etional Equ	lpment			
Powerboat	0.0	38.4	44.9	31.5	38.7	42.9	37.2

This is a special group camping area.

Recreation area averages were weighted by the total number of permits for each area to compute project average.

Recreation area averages were weighted by the total number of permits for each area to compute project

Motor homes are included in the calculation of camping equipment percentages. Camping equipment percentages can sum to more than 100 percent because parties can use multiple pieces of equipment.

Tabl	e A15					
1988	Sher	ango	River	Lake	(Shenan	go
Rec	Area)	User	Chara	cteris	tics	_

Characteristic	Value	
Recreation days	59,731	
Mean length of stay, nights	3.4	
Mean number in group	3.8	
Percent prior visits 1	83.7	
Percent primary destination 1	95.3	
Percent Golden Age Passports <sup>2</sup>	17.2	
Percent Golden Access Passports <sup>2</sup>	3.2	
Number of camping permits	7,270	
Number of camping groups	4,620	

Percent of camping parties.
Percent of camping permits.

## Table A16 1988 Shenango River Lake Vehicle and Equipment Type

Vehicle and Equipment Type	Percentage of Camping Partie	
Vehicle		
Car	56.5	
Truck	40.2	
Van	13.6	
Motor home	16.2	
Other	0.8	
Camping equip	pment <sup>1</sup>	
Tent	34.6	
Pop-up trailer	10.9	
Pickup camper	6.1	
Travel trailer	22.9	
Recreational eq	uipment	
Powerboat	30.0	

Motor homes are included in the calculation of camping equipment percentages. Camping equipment percentages can sum to more than 100 percent because parties can use multiple pieces of equipment.

Table A17 1988 West Point Lake User Characteristics

Characteristic	R. Shaefer Heard	Holiday Park	State Line Park	Amity Park	White Tail Ridge	Project Totals <sup>1</sup>
Recreation days	12,279	40,291	7,833	16,505	7,589	84,497
Mean length of stay, nights	2.3	3.1	2.5	3.1	2.9	2.9
Mean number in group	2.9	3.5	3.8	3.4	3.4	3.4
Percent prior visits <sup>2</sup>	61.7	89.0	71.6	87.9	95.8	82.4
Percent primary destination <sup>2</sup>	83.0	97.2	96.9	97.8	98.4	94.7
Percent Golden Age Passports <sup>3</sup>	25.1	20.7	10.4	24.3	18.1	21.1
Percent Golden Access Passports	2.8	4.6	1.3	4.1	3.2	3.7
Number of camping permits	1.994	4,772	868	1,868	834	10,336
Number of camping groups	1,715	3,899	777	1,513	757	8,661

<sup>&</sup>lt;sup>1</sup> Recreation area averages were weighted by the total number of permits for each area to compute project average.

Table A18
1988 West Point Lake Vehicle and Equipment Type (Percent of Camping Parties)

Vehicle and Equipment Type	R. Shaefer Heard	Holiday Park	Stateline Park	Amity Park	White Tail Ridge	Project Totals <sup>1</sup>
		V	ehicle			
Car	33.8	31.2	32.2	36.7	35.0	33.1
Truck	43.7	51.3	57.1	49.4	60.9	50.9
Van	11.5	13.7	13.8	13.8	12.4	13.2
Motor home	24.3	26.6	16.8	24.1	25.5	24.7
Other	0.3	0.7		0.5		0.5
		Camping	Equipment <sup>2</sup>			
Tent	26.4	28.7	52.9	25.9	28.4	29.9
Pop-up trailer	6.8	6 2	6.4	9.1	8.2	7.0
Pickup camper	2.7	7.0	1.8	7.7	4.0	5.5
Travel trailer	23.3	19.3	15.2	28.3	32.0	22.4
		Recreatio	nal Equipment	<u> </u>		
Powerboat	27.6	60.2	46.2	41.8	44.3	47.9

Recreation area averages were weighted by the total number of permits for each area to compute project averages.

Percent of camping parties.

Percent of camping permits.

Motor homes are included in the calculation of camping equipment percentages. Camping equipment percentages can sum to more than 100 percent because parties can use multiple pieces of equipment.